Mathematische Zeitschrift

Herausgegeben von **T. tom Dieck**, Saarbrücken
E. Heinz, Göttingen
A. Pfluger, Zürich
H. Salzmann, Tübingen
H. Wielandt, Tübingen
K. Zeller, Tübingen

Wissenschaftlicher Beirat
B. Eckmann, Zürich · P. Gabriel, Bonn
H. Heyer, Tübingen · K. H. Hofmann, New Orleans
W. Klingenberg, Bonn · U. Krengel, Göttingen
W. Magnus, New York · G. Pickert, Gießen

Band 131 · 1973

Springer-Verlag · Berlin · Heidelberg · New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, even in microform, is transferred to the publisher.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Springer-Verlag / Berlin · Heidelberg · New York
Printer: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany. – © by Springer-Verlag Berlin Heidelberg 1973

Inhalt/Contents

Ando, T., Sekiguchi, T., Suzuki, T.: Approximation by Positive Operators 273

Baues, H.J.: Iterierte Join-Konstruktionen 77

Baur, W.: Eine rekursiv präsentierte Gruppe mit unentscheidbarem Wortproblem . 219

Becker, J.: Über eine Golusinsche Ungleichung für quasikonform fortsetzbare schlichte Funktionen 177

Berger, T.R.: Nilpotent Fixed Point Free Automorphism Groups of Solvable Groups 305

Cameron, P.J.: Biplanes 85

Cheney, E.W., s. Morris, P.D. 153

Cooper, C.D.H.: On the Maximum Eigenvalue of a Reducible Non-Negative Real Matrix 213

Elman, R., Lam, T.-Y.: Quadratic Forms and the u-Invariant. I 283

Foulser, D.A.: Derived Translation Planes Admitting Affine Elations 183

Gulliver, R.: Existence of Surfaces with Prescribed Mean Curvature Vector 117

Hainer, K.: Lösung des Dirichletproblems und Konvergenz der Differenzenapproximation für elliptische Differentialgleichungen zweiter Ordnung 189

Hajek, D.W., Wilson, R.G.: The Non-Simplicity of Certain Categories of Topological Spaces 357

Hallett, J.T., Hirsch, K.A.: Finite Groups of Exponent 4 as Automorphism Groups. II. 1

Hildebrandt, S.: Interior $C^{1+\alpha}$-Regularity of Solutions of Two-Dimensional Variational Problems with Obstacles 233

Hirsch, K.A., s. Hallett, J.T. 1

Holcombe, M.: A Class of 0-Primitive Near-Rings 251

Jörgens, K., Weidmann, J.: Zur Existenz der Wellenoperatoren 141

Kallaher, M.J.: Correction to "A Class of Rank Three Affine Planes". 335

Lam, T.-Y., s. Elman, R. 283

Lockett, F.P.: On the Theory of Fitting Classes of Finite Soluble Groups 103

Mader, W.: Ein Extremalproblem des Zusammenhangs von Graphen 223

Maier, R., Schmid, P.: The Embedding of Quasinormal Subgroups in Finite Groups 269

Morris, P.D., Cheney, E.W.: Stability Properties of Trigonometric Interpolating Operators 153

Ruscheweyh, S., Wirths, K.-J.: Über die Faltung schlichter Funktionen. II 11

Schmid, P., s. Maier, R. 269

Schmincke, U.-W.: A Spectral Gap Theorem for Dirac Operators with Central Field 351

Schultz, R.: Homotopy Decompositions of Equivariant Function Spaces. I. Spaces of Principal Bundle Maps 49

Sekiguchi, T., s. Ando, T., *et al.* 273

Siebert, E.: Über die Erzeugung von Faltungshalbgruppen auf beliebigen lokalkompakten Gruppen 313

Simon, B.: Schrödinger Operators with Singular Magnetic Vector Potentials 361

Sons, L. R.: Gap Series with Rapid Growth in the Unit Disc 25

Suzuki, T., s. Ando, T., *et al.* 273

Trudinger, N. S.: Gradient Estimates and Mean Curvature 165

Weidmann, J., s. Jörgens, K. 141

Wille, R.: Über modulare Verbände, die von einer endlichen halbgeordneten Menge frei erzeugt werden 241

Wilson, R. G., s. Hajek, D. W. 357

Wirths, K.-J., s. Ruscheweyh, S. 11

Wüst, R.: A Convergence Theorem for Selfadjoint Operators Applicable to Dirac Operators with Cutoff Potentials 339

Indexed in Current Contents

INSTRUCTIONS TO AUTHORS

A. General

Papers submitted for publication may be written in English, French or German. A **summary** for Zentralblatt für Mathematik (including key words for classification) should be attached.

To speed up publication, authors will receive **only one set of proofs**: provisionally numbered page proofs. Authors are requested to **correct typographical errors only**; they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Manuscripts must be in their **final form,** typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestions overleaf.

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean and clear uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times \frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles**: names and initials of all authors, full title of the paper, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Bombieri, E., Giusti, E.: Harnack's inequality for elliptic differential equations on minimal surfaces. Inventiones math. **15**, 24 – 46 (1971).

Tate, J.T.: *p*-Divisible Groups. In: Proceedings of a Conference on Local Fields, pp. 158 – 183. Berlin-Heidelberg-New York: Springer 1967.

B. Marking

1. Text

Words or sentences to be set in *italics* should be marked by single underlining.

The words **"Theorem"**, **"Proposition"**, **"Lemma"**, **"Corollary"** etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).
The words "*Proof*", "*Remark*", "*Example*", "*Case*" etc. are printed in italics, and "Definition" in boldface with the formulation in ordinary typeface.

2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.
It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $b\,{}^{\wedge}_{\wedge}$, $a\,{}^{\vee}_{\vee}$. Spacing of indices and exponents must be specially indicated ($A_{m\,n}^{\,"\,"}$), otherwise they will be set (A_{mn}^{nm}).
Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface (headings, boldface letters in formulae)
yellow:	upright (abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numerals 1 and 0 (to distinguish them from the small letter *l* and the capital letter *O*)

The following are frequently confused:

$\circ, o, O, 0$; $\cup, \mathbf{u}, \bigcup, U$; $\times, x, X, \kappa$; $\vee, v, \nu$; $\theta, \Theta, \phi, \varphi, \Phi, \varnothing$; ψ, Ψ; $\varepsilon, \in$;

a', a^1; the symbol *a* and the indefinite article a;

also the handwritten Roman letters:

c, C; e, l; $\dot{I}, J$; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$ $a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$ $\mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{x}, \mathfrak{y}, \mathfrak{z}$
Boldface	**A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z** **a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z**
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Lambda, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

2. Notations

preferred form	instead of
$A^*, \bar{b}, \gamma', \mathfrak{v}, \mathbf{v}$	$\bar{A}, \bar{b}, \bar{\bar{\gamma}}, \vec{v}$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$
inj lim, proj lim	$\varinjlim, \varprojlim$
$f\colon A \to B$	$A \xrightarrow{f} B$
f^{-1}	$\bar{f}$

preferred form	instead of
$\exp\{-(x^2+y^2)/a^2\}$	$e^{-\frac{x^2+y^2}{a^2}}$
$\dfrac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\dfrac{\cos\frac{1}{x}}{\sqrt{a+\frac{b}{x}}}$

the most widely used scientific information system in the world



Try any edition free for 4 weeks.

Nearly 200,000 professionals of all types use the *Current Contents*® system every week to locate and obtain new journal articles relevant to their work. And they've got good reasons.

Current Contents is the most comprehensive, least complicated way to make sure you learn of new developments in your field while they're still new. Just an hour a week spent scanning any edition of *Current Contents* lets you sort through everything that's published in a thousand or more journals. With *CC*® it's easy to pick out just those articles you want to read. Without handling the journals. Without increasing your journal subscription expenses.

Find out why so many people like you use *Current Contents*. Get more information and a free 4-week subscription by completing the coupon. ©1973 ISI

Please start my free 4-week subscription to the *Current Contents*® edition checked below:

- ☐ **Life Sciences**
- ☐ **Physical & Chemical Sciences**
- ☐ **Agriculture, Biology & Environmental Sciences**
- ☐ **Behavioral, Social & Educational Sciences**
- ☐ **Engineering & Technology**
- ☐ **Clinical Practice**

Name _____

Title _____

Organization _____

Street Address _____

City _____ State/Province _____

Zip _____ Country _____

351

ISI® Institute for Scientific Information

325 Chestnut St., Philadelphia, Pa., U.S.A. 19106 Tel.: (215) 923-3300, Cable: SCINFO, TELEX: 84-5305

The journal you are reading and 5000 others are regularly covered in *CURRENT CONTENTS*®.

Mathematische Zeitschrift

Band 131 · (Schluß-)Heft 4 · 1973

Inhalt

Ando, T., Sekiguchi, T., Suzuki, T.: Approximation by Positive Operators 273

Elman, R., Lam, T.-Y.: Quadratic Forms and the *u*-Invariant. I 283

Berger, T. R.: Nilpotent Fixed Point Free Automorphism Groups of Solvable Groups 305

Siebert, E.: Über die Erzeugung von Faltungshalbgruppen auf beliebigen lokalkompakten Gruppen 313

Kallaher, M. J.: Correction to "A Class of Rank Three Affine Planes" 335

Wüst, R.: A Convergence Theorem for Seldfadjoint Operators Applicable to Dirac Operators with Cutoff Potentials 339

Schmincke, U.-W.: A Spectral Gap Theorem for Dirac Operators with Central Field 351

Hajek, D. W., Wilson, R. G.: The Non-Simplicity of Certain Categories of Topological Spaces 357

Simon, B.: Schrödinger Operators with Singular Magnetic Vector Potentials 361

Indexed in Current Contents

Responsible for advertisements: L. Siegel, 1 Berlin 15, Kurfürstendamm 237,
Telephone: (03 11) 8 83 01 31, Telex: 01-85 411
Springer-Verlag Berlin · Heidelberg · New York
Printers: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany — © by Springer-Verlag Berlin · Heidelberg 1973